

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) A method for capturing decrypted information directed to a presentation device, the method comprising:

receiving, by the presentation device, decrypted information in a presentation device, wherein the device includes a first instruction sequence executable to generate a presentation signal based on the decrypted information;

receiving, by the presentation device, an updated instruction sequence, wherein the updated instruction sequence includes instructions executable to store at least one of the decrypted information or a presentable representation of the decrypted information in a computer readable storage medium; and

directing the decrypted information to computer readable medium

processing, by the presentation device, the decrypted information, wherein processing comprises:

modifying at least a portion of the first instruction sequence based on the updated instruction sequence,

executing the modified first instruction sequence to generate a presentation signal based on the decrypted information, and

storing at least one of the decrypted information or a presentable representation of the decrypted information in a computer readable storage medium.

2. (Previously presented) The method of claim 1, wherein receiving decrypted information comprises:
  - providing a certification to a process; and
  - receiving decrypted information from the process.
3. (Previously presented) The method of claim 1, wherein receiving decrypted information comprises interacting with an executing process in a manner that implies certification.
4. (Previously presented) The method of claim 1 wherein receiving decrypted information comprises receiving a presentable representation.
5. (Previously presented) The method of claim 1 wherein receiving decrypted information comprises receiving a compressed content stream.
6. (Cancelled) ~~The method of claim 1 wherein directing the decrypted information to computer readable medium comprises directing a presentable representation to computer readable medium.~~
7. (Currently amended) The method of claim 6 1, the processing further comprising:
  - retrieving the a presentable representation of the decrypted information from the computer readable storage medium;
  - encoding the presentable representation in a compressed format; and
  - directing storing the compressed format to in the computer readable storage medium.
8. (Currently amended) The method of claim 1, the processing further comprising:
  - wherein directing converting the decrypted information into a compressed content stream; and

~~storing the decrypted information to computer-readable medium comprises directing a compressed content stream to in the computer readable storage medium.~~

9. (Currently amended) The method of claim 1, ~~the processing further comprising:~~
- ~~wherein directing storing the decrypted information to computer-readable medium comprises directing at least one of a display frame and an update frame to associated with the decrypted information in the computer readable storage medium.~~
10. (Cancelled) ~~The method of claim 1 wherein directing the decrypted information to computer-readable medium comprises:~~
- ~~executing an instruction sequence in the presentation device; and~~
- ~~manipulating the decrypted information according to the instruction sequence so as to direct the decrypted information to a computer-readable medium.~~
11. (Cancelled) ~~The method of claim 10 further comprising receiving an update of the instruction sequence.~~
12. (Cancelled) ~~The method of claim 1 wherein directing the decrypted information to computer-readable medium comprises:~~
- ~~executing an instruction sequence in the presentation device; and~~
- ~~manipulating the decrypted information according to the instruction sequence so as to direct a presentable representation to computer-readable medium.~~
13. (Cancelled) ~~The method of claim 1 wherein directing the decrypted information to computer-readable medium comprises:~~
- ~~executing an instruction sequence in the presentation device; and~~

~~manipulating the decrypted information according to the instruction sequence  
so as to direct a compressed content stream to computer-readable medium.~~

14. (Cancelled) The method of claim 1 wherein directing the decrypted information to computer-readable medium comprises:

~~executing an instruction sequence in the presentation device; and  
manipulating the decrypted information according to the instruction sequence  
so as to direct at least one of a display frame and an update frame to  
computer-readable medium.~~

15. (Currently amended) An apparatus for capturing decrypted information comprising:

a information port capable of receiving (i) decrypted information directed to a presentation device and (ii) an updated instruction sequence, wherein the updated instruction sequence includes instructions executable to store at least one of the decrypted information or a presentable representation of the decrypted information in a computer readable storage medium; and

a capture unit capable of processing the decrypted information, the processing comprising:

directing the decrypted information to a computer-readable medium.

modifying at least a portion of the first instruction sequence based on the updated instruction sequence,

executing the modified first instruction sequence to generate a presentation signal based on the decrypted information and store at least one of the decrypted information or a presentable representation of the decrypted information in a computer readable storage medium.

16. (Currently amended) The apparatus of claim 15, wherein the information port is capable of providing an explicit certification to a host system.
17. (Currently amended) The apparatus of claim 15, wherein the information port is capable of interacting with the host system in a manner that implies certification.
18. (Currently amended) The apparatus of claim 15, wherein the information port is capable of receiving a presentable representation of decrypted ~~content~~ information.
19. (Currently amended) The apparatus of claim 15, wherein the information port is capable of receiving a compressed content stream of the decrypted information.
20. (Cancelled) ~~The apparatus of claim 15 wherein the capture unit is capable of directing a presentable representation of decrypted information to computer readable medium.~~
21. (Currently amended) The apparatus of claim 20, further comprising a compression unit capable of:
- retrieving a presentable representation of the decrypted ~~content~~ information from the computer readable storage medium;
- encoding the presentable representation in a compressed ~~format~~ content stream; and
- ~~directing storing~~ the compressed ~~format~~ content stream ~~to in~~ the computer readable storage medium.
22. (Cancelled) ~~The apparatus of claim 15 wherein the capture unit is capable of directing a compressed content stream to computer readable medium.~~

23. (Currently amended) The apparatus of claim 15, the processing further comprising: wherein the capture unit is capable of directing storing at least one of a display frame and an update frame to associated with the decrypted information in the computer readable storage medium.
24. (Currently amended) An apparatus for capturing decrypted information, the apparatus comprising:

a host port for communicating with a host system, the host port capable of receiving (i) decrypted information directed to a presentation device and (ii) an updated instruction sequence, wherein the updated instruction sequence includes instructions executable to store at least one of the decrypted information or a presentable representation of the decrypted information in a computer readable storage medium;

an execution unit capable of executing an the updated instruction sequence;  
an instruction memory for storing an the updated instruction sequence; and  
a capture instruction sequence stored in the instruction memory that, when executed by the execution unit and modified by the updated instruction sequence, minimally causes the execution unit to process the decrypted information, the processing comprising:

cause the host port to receive decrypted information directed to a presentation device; and

direct the decrypted information to computer readable medium

modifying at least a portion of the first instruction sequence based on the updated instruction sequence,

executing the modified first instruction sequence to generate a presentation signal based on the decrypted information and store at least one of the

decrypted information or a presentable representation of the decrypted information in a computer readable storage medium.

25. (Currently amended) The apparatus of claim 15, wherein the instruction memory is capable of storing an the updated instruction sequence ~~received from the host port.~~
26. (Cancelled) The apparatus of claim 15 wherein the capture instruction sequence causes the execution unit to direct the decrypted information to computer readable medium by minimally causing the execution unit to direct a presentable representation to computer readable medium.
27. (Currently amended) The apparatus of claim 15, the processing further comprising: wherein the capture instruction sequence causes the execution unit to direct the decrypted information to computer readable medium by minimally causing the execution unit to direct  
converting the decrypted information into a compressed content stream; and  
storing a the compressed content stream to in the computer readable storage medium.
28. (Currently amended) The apparatus of claim 15, the processing further comprising: wherein the capture instruction sequence causes the execution unit to direct the decrypted information to computer readable medium by minimally causing the execution unit to direct storing at least one of a display frame and an update frame associated with the decrypted information to in the computer readable storage medium.
29. (Cancelled) A computer readable medium including an instruction sequence comprising a capture module that, when executed by an execution unit, minimally causes the execution unit to:
- receive decrypted information; and

~~make the decrypted information available to a host processor.~~

30. (Cancelled) ~~The computer-readable medium of claim 29 wherein the capture module minimally causes the execution unit to receive decrypted information by minimally causing the execution unit to:~~

~~provide to the host processor at least one of an explicit certification and an implicit certification; and~~

~~receive decrypted content from the host processor.~~

31. (Cancelled) ~~The computer-readable medium of claim 29 wherein the capture module minimally causes the execution unit to receive decrypted information in the form of a compressed content stream.~~

32. (Cancelled) ~~The computer-readable medium of claim 29 wherein the capture module minimally causes the execution unit to receive decrypted information in the form of a compressed content stream that includes at least one of a display frame and an update frame.~~

33. (Cancelled) ~~The computer-readable medium of claim 29 wherein the capture module minimally causes the execution unit to make decrypted information available to the host processor by minimally causing the execution unit to make available pixel information to the host processor.~~

34. (Currently amended) A system for capturing decrypted information, the system comprising:

a memory;

a host processor capable of executing instructions stored in the memory;



- a computer readable storage medium in communication with the host processor;
- a display adapter in communication with the host processor that includes:
  - a host port for receiving (i) decrypted information and (ii) an updated instruction sequence, wherein the updated instruction sequence includes instructions executable to store at least one of the decrypted information or a presentable representation of the decrypted information in the computer readable storage medium;
  - an instruction memory for storing instructions;
  - an execution unit capable of executing instructions stored in the instruction memory;
  - a capture instruction sequence stored in the instruction memory that, when executed by the execution unit and modified by the updated instruction sequence, minimally causes the execution unit to process the decrypted information, the processing comprising:
    - ~~cause the host port to receive decrypted information directed to a presentation device; and~~
    - ~~direct the decrypted information to a host system port~~
    - modifying at least a portion of the first instruction sequence based on the updated instruction sequence,
    - executing the modified first instruction sequence to generate a presentation signal based on the decrypted information and store at least one of the decrypted information or a presentable representation of the decrypted information in a computer readable storage medium; and
- an authorized player instruction sequence stored in the memory that, when executed by the host processor, minimally causes the host processor to:

retrieve ~~content~~ information from the computer readable storage medium;  
decrypt the ~~content~~ information; and  
direct the decrypted ~~content~~ information to the display adapter; and  
~~a capture utility instruction sequence stored in the memory that, when executed by the processor, minimally causes the processor to:~~  
~~receive captured decrypted content from the display adapter; and~~  
~~direct the captured decrypted content to the computer readable medium.~~

35. (Currently amended) The system of claim 34, wherein the capture instruction sequence further minimally causes the execution unit to provide at least one of an explicit certification and an implicit certification to the authorized player instruction sequence.

36. (Currently amended) The system of claim 34, the processing further comprising:  
~~wherein the capture instruction sequence causes the execution unit to direct the~~  
~~decrypted information to the host system port by minimally causing the execution unit to direct~~

converting the decrypted information into a compressed content stream; and

storing the compressed content stream to the host system port in the computer readable storage medium.

37. (Currently amended) The system of claim 34, the processing further comprising:  
~~wherein the capture instruction sequence causes the execution unit to direct the~~  
~~decrypted information to the host system port by minimally causing the execution unit to direct~~ storing at least one of a display frame and an update frame  
~~associated with the decrypted information to the host system port in the computer~~  
readable storage medium.

38. (Currently amended) The system of claim 34, the processing further comprising:  
wherein the capture instruction sequence causes the execution unit to direct the  
decrypted information to the host system port by minimally causing the execution  
unit to direct storing pixel data associated with the decrypted information to the  
host system port in the computer readable storage medium.

39. (New) A computer program product, tangibly embodied in a computer-readable  
storage medium, the computer program product including instructions being  
operable to cause a data processing apparatus to:

receive decrypted information directed to a presentation device, wherein  
the device includes a first instruction sequence executable to generate a  
presentation signal based on the decrypted information;

receive an updated instruction sequence, wherein the updated instruction  
sequence includes instructions executable to store at least one of the  
decrypted information or a presentable representation of the decrypted  
information in a computer readable storage medium; and

process the decrypted information, the processing comprising:  
modifying at least a portion of the first instruction sequence based on  
the updated instruction sequence;

executing the modified first instruction sequence to generate a  
presentation signal based on the decrypted information and store at  
least one of the decrypted information or a presentable  
representation of the decrypted information in a computer readable  
storage medium.

40. (New) A system for capturing decrypted information, the system comprising:

means for receiving decrypted information directed to a presentation device,  
wherein the device includes a first instruction sequence executable to  
generate a presentation signal based on the decrypted information;

means for receiving an updated instruction sequence, wherein the updated  
instruction sequence includes instructions executable to store at least one  
of the decrypted information or a presentable representation of the  
decrypted information in a computer readable storage medium; and

means for processing the decrypted information, the processing comprising:

modifying at least a portion of the first instruction sequence based on the  
updated instruction sequence;

executing the modified first instruction sequence to generate a presentation  
signal based on the decrypted information and store at least one of the  
decrypted information or a presentable representation of the decrypted  
information in a computer readable storage medium.